UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/511,819	04/28/2005	Rauscher Guenther	30071/40493	6563
	7590 02/20/200 GERSTEIN & BORUN	EXAMINER		
233 S. WACKE	ER DRIVE, SUITE 630	SINGH, KAVEL		
SEARS TOWER CHICAGO, IL 60606			ART UNIT	PAPER NUMBER
			3651	
			MAIL DATE	DELIVERY MODE
			02/20/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary		Application No.	Applicant(s)				
		10/511,819	GUENTHER, RAUSCHER				
		Examiner	Art Unit				
		KAVEL P. SINGH	3651				
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) 又	Responsive to communication(s) filed on 26 No.	ovember 2007.					
	· · · · · · · · · · · · · · · · · · ·	action is non-final.					
3)	, 						
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	ion of Claims						
4)🛛	Claim(s) <u>1-23 and 25-54</u> is/are pending in the a	application.					
,—	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)🖂	6)⊠ Claim(s) <u>1-23 and 25-54</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and/or	r election requirement.					
Applicati	ion Papers						
9)□	The specification is objected to by the Examine	r.					
•	The drawing(s) filed on is/are: a) acce		Examiner.				
<i>,</i> —	Applicant may not request that any objection to the						
	Replacement drawing sheet(s) including the correct						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority ι	under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) 🔲 Notic 3) 🔯 Infori	e of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) or No(s)/Mail Date 10/19/04.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	nte				

Application/Control Number: 10/511,819 Page 2

Art Unit: 3651

DETAILED ACTION

Response to Arguments

The rejection to claim 24 under 35 U.S.C. 112, first paragraph has been withdrawn.

The claim objection to claim 23 has been withdrawn.

Applicant's arguments filed 11/26/07 have been fully considered but they are not persuasive. Applicant argues that Aidlin does not teach movable stops, but Aidlin discloses stops (54,55,60) move back and forth to hand the bottles. Aidlin discloses through port (54) the piston moves away from the rail to port (55), a preset position and definie various railing positions for various bottle sizes (C5 L26-30) as Applicant argues. The assembly of elements (54,55,60) make up the plurality of movable stops as shown in Figure 1. Applicant further argues the block (60) is not optionally positioned, but Aidlin teaches the elongated guide rails (42) which is part of the movable stops (as written in claims 1 and 25) and are laterally adjustable, which makes block (60) optionally positioned as well (C4 L62-65) (Fig. 2). For the foregoing reasons, claims 1-23 and 25-54 stand rejected.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Application/Control Number: 10/511,819

Art Unit: 3651

Claims 1-5-9,11-16,18-22,25-30,32,33,35-40,42-44,46,48,50-53 are rejected under 35 U.S.C. 102(b) as being anticipated by Aidlin U.S. Patent No. 5,542,789.

Claims 1,2, and 25, Aidlin teaches at least one guide railing (42) which is adjustable across a direction of conveyance and is operable by at least one actuator drive (60), and a plurality of movable stops (54,55,60) that are optionally be placed in one or more the adjustment pathways of the guide railing to and delimit the at least one guide railing and define various railing positions.

Claims 3,4,26, and 27, Aidlin teaches the stops (54,55,60) can be moved into the preset positions (Fig. 7-10) by one manually control means, or a combination thereof (C6 L27-29).

Claims 5,29,43, and 46, Aidlin teaches assigned to the linear drive comprises a stop mount attached to the cylinder element of the pneumatic cylinder in the axial direction (C2 L15-17).

Claims 6 and 30, Aidlin teaches the opposing stop has at least two stop faces (Fig. 7-10) facing away from one another as based on the adjustment pathways (C1 L46-48). Claims 7,8,9, and 32, Aidlin teaches the preset positions (Fig. 7-10) are designed in the form of recesses and are designed in the form of multiple bores in the stop mount (A) set along the adjustment pathways in the axial direction (Fig. 1).

Claims 11,28, and 35, Aidlin teaches the stops (54,55,60) are designed as pneumatic cylinders that can be operated by control means.

Claims 12,13, and 33, Aidlin teaches the stops (54,55,60) can be screwed into threaded bores (50,62) in the stop mount has an axial bore aligned with the cylinder body (60).

Claim, 14,36, and 38, Aidlin teaches bore (50) is arranged coaxially with the piston rod (46) and the piston rod passes at least partially through the bore.

Claims 15,37, and 40, Aidlin teaches the inside diameter of the bore (50) is greater than the outside diameter of the piston rod (46), thus forming an annular space (Fig. 1).

Claims 16,39, and 51, Aidlin teaches the bores (50,62) for accommodating the stops (54,55,60) are assigned to the annular space so that the stops (54,55,60) pass through the annular space approximately at a right angle to the its longitudinal extent of the annular space when in an engaged or working position.

Claims 18,19, and 42, Aidlin teaches the opposing stop is attached to the piston rod (46) and is guided in the interior of the stop mount.

Claim 20, Aidlin teaches the adjustable guide railings (42) are arranged so they run opposite one another in pairs and parallel to the direction of conveyance conveyor with a distance between the pairs them (Fig. 1).

Claims 21,22, and 50, Aidlin teaches the products (12) to be transported, have a collar (20) by means of which they are transported suspended on two parallel sliding rails (26) which run with a distance there between and are conveyed as suspended items beneath an air guide box (36).

Claim 44, Aidlin teaches the guide railing (42) is operable so that it is adjustable in height by at least one actuator drive (60) longitudinally to the vertical axis of the products being conveyed, with stops (54,55,60) which may optionally be arranged in the adjustment path at multiple preset positions (Fig. 7-10) and delineate said path on the

Art Unit: 3651

vertical adjustment path of the guide railing (42) or the at least one actuator drive (60) and thereby define various railing positions (Fig. 1).

Claims 48 and 52, Aidlin teaches the four of the multiple bores in the stop mount comprises at least two rows with an arrangement of bores (50,62) offset in the axial direction of the stop mount (C5 L25-28).

Claim 53, Aildin teaches the stops are designed as pins (Fig. 1).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 10,17,34,41,47, and 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aildin U.S. Patent No. 5,542,789 in view of Leonard U.S. Patent No. 6,305,528.

Claims 10,17,34,41,47, and 49, Aildin teaches the stops (54,55,60), but not as Leonard teaches are designed as one of form-fitting screw or screw elements (102,104). It would have been obvious to one of ordinary skill in the art at the time of the invention to use form-fitting screws as taught by Leonard into the invention of Aildin in order to securely fasten the stop to the article.

Claims 31,45,53, and 54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Aildin U.S. Patent No. 5,542,789 in view of Ouellette U.S. Patent No. 6,318,935.

Art Unit: 3651

Claims 31,45, and 54, Ailden teaches preset positions (Fig. 7-10) are assigned to the linear drive and formed as a stop mount attached to the cylinder element of the pneumatic cylinder (60) in the axial direction the linear drive, but does not teach as Ouellette is a double-acting pneumatic cylinder (122) having a cylinder element which has a cylinder body (122) and a piston rod (124) (C8 L39-42). It would have been obvious to one of ordinary skill in the art at the time of the invention to a double-acting cylinder as taught by Ouellette into the invention of Aildin in order to have extra control over the stop and securely fasten the article in the cylinder.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/511,819 Page 7

Art Unit: 3651

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ms. Kavel P. Singh whose telephone number is (571) 272-2362. The examiner can normally be reached on M-F 8:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Crawford can be reached on (571) 272-6911. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

KPS

/Gene Crawford/ Supervisory Patent Examiner, Art Unit 3651